

Centrality-Based Improvements to CDCL Heuristics

Sima Jamali and David Mitchell

Simon Fraser University, Vancouver, Canada,
`sima_jamali@sfu.ca, mitchell@cs.sfu.ca`

Abstract. There are many reasons to think that SAT solvers should be able to exploit formula structure, but no standard techniques in modern CDCL solvers make explicit use of structure. We describe modifications to modern decision and clause-deletion heuristics that exploit formula structure by using variable centrality. We show that these improve the performance of Maple LCM Dist, the winning solver from Main Track of the 2017 SAT Solver competition. In particular, using centrality in clause deletion results in solving 9 more formulas from the 2017 Main Track. We also look at a number of measures of solver performance and learned clause quality, to see how the changes affect solver execution.

1 Introduction

Structure seems important in SAT research. Notions of instance structure are invoked in explaining solver performance, for example on large industrial formulas; many empirical papers relate aspects of solver performance to formula structure; and structure is key in theoretical results on both hardness and tractability.

Despite this, no standard method used in modern CDCL SAT solvers makes direct use of formula structure. (We exclude local structure such as used in resolving two clauses or assigning a unit literal.) The heuristics in CDCL solvers focus on local properties of the computation — what the algorithm has recently done — ignoring overall structure. The VSIDS and LRB decision heuristics give strong preference to variables that have been used many times recently, while clause deletion based on LBD and clause activity selects clauses based on recent use and an indicator of likelihood of being used again soon.

We present modifications to state-of-the-art decision and clause deletion heuristics that take structure into account by using variable betweenness centrality. This measure reflects the number of shortest paths through a variable in the primal graph of the formula. For decision heuristics, we give three different centrality-based modifications that alter VSIDS or LRB variable activities. For the clause deletion heuristic, we replace activity-based deletion with deletion based on clause centrality, a clause quality measure we believe is new.

We demonstrate the effectiveness of the methods by implementing them in Maple LCM Dist, the winning solver from Main Track of the 2017 SAT Solver competition, and running them on the formulas from that track with a 5000

second time-out. All the modifications increased the number of instances solved and reduced the PAR-2 scores. While our methods are simple, to our knowledge this is the first time that explicit structural information has been successfully used to improve the current state-of-the-art CDCL solver on the main current benchmark. We also report a number of other measures of solver performance and learned clause quality, and make some observations about these.

Paper Organization The remainder of the present section summarizes related work. Section 2 defines betweenness centrality and describes centrality computation. Sections 3 describes our modified decision and deletion heuristics. Section 4 gives the main performance evaluation. Section 5 looks at some execution details, and Section 6 makes concluding remarks and mentions work in progress.

Related Work Several papers have studied the structure of industrial CNF formulas, e.g., [6, 29, 13]. “Community structure” (CS) has been shown in industrial formulas [11] and CS quality is correlated with solver run time [2, 3, 24, 25]. CS was used in [4] to generate useful learned clauses. In [20, 23] CS was used to obtain small witnesses of unsatisfiability. [17] showed that VSIDS tends to choose bridge variables (community connectors), and [14] showed that preferential bumping of bridge variables increased this preference and improved performance of the Glucose SAT solver. [27] described a method that applies large bump values to variables in particular communities. Eigenvalue centrality of variables was studied in [15], and it was shown that CDCL decisions are likely to be central variables. Betweenness centrality was studied in [14], where it was shown that a large fraction of decision variables have high betweenness centrality, and that the performance of Glucose can be improved by preferential bumping of variables with high betweenness centrality. Some features used in learning performance prediction models, as used in SATzilla [30], are structural measures. Lower bounds for CDCL run times on unsatisfiable formulas are implied by resolution lower bounds, and formula structure is central to these [8]. Formulas with bounded treewidth are fixed parameter tractable [1], and also can be efficiently refuted by CDCL with suitable heuristics [5].

2 Centrality Computation

The primal graph of a propositional CNF formula ϕ (also called the variable incidence graph or the variable interaction graph) is the graph $G(\phi) = \langle V, E \rangle$, with V being the set of all variables in ϕ and $(p, q) \in E$ iff there is a clause $C \in \phi$ containing both p and q (either negated or not). The betweenness centrality of a vertex v is defined by $g(v) = \sum_{s \neq v \neq t} (\sigma_{s,t}(v)/\sigma_{s,t})$, where $\sigma_{s,t}$ is the number of shortest s-t paths and $\sigma_{s,t}(v)$ is the number of those that pass through v , normalized to range over $[0, 1]$ [12]. The betweenness centrality of a variable v in formula ϕ is the betweenness centrality of v in the primal graph $G(\phi)$.

Exactly computing betweenness centrality involves an all-pairs-shortest-paths computation, and is too expensive for large formulas. We computed approximate

centrality values using the NetworkX [22] betweenness_centrality function, with sample size parameter $n/50$, where n is the number of variables. The parameter sets the number of vertices used to compute the approximation.

For some industrial formulas even this approximation takes too long to be useful (under SAT competition conditions), but for many formulas the approximation is fast. With a 300 second time-out, we found approximations for 217 of the 350 formulas from the main track of the 2017 competition. Figure 1 is a histogram of the centrality approximation times for these formulas, showing that a large fraction required less than 70 seconds.




Fig. 1. Histogram of Centrality Approximation Times.

3 Modified Decision and Deletion Heuristics

Decision Heuristics The VSIDS decision heuristic [21], in several variations, has been dominant in CDCL solvers for well over a decade. Recently, the LRB (Learning-Rate-Based) heuristic [16] was shown to be effective, and winners of recent competitions use a combination of VSIDS and LRB. Both employ variable “activity” values, which are updated frequently to reflect the recent variable usage. The update involves increasing (or “bumping”) the activity value for a variable each time it is assigned or appears during the derivation of a new learned clause. A secondary update in MapleSAT [16] and its descendants involves, at each conflict, *reducing* the LRB activity score of each variable that has not been assigned a value since the last restart. Maple LCM Dist uses both VSIDS and LRB, at different times during a run, and LRB activity reduction.

In [14] we reported that increasing the VSIDS bump value for high-centrality variables during an initial period of a run improved the performance of the solver Glucose. This did not help much in solvers using LRB, but motivated further study. As in [14] we define “high-centrality” variables to be the $1/3$ fraction of variables with highest centrality values. The modifications reported here are:

HCbump-V: We scale the VSIDS additive bump values for high-centrality variables by a factor greater than 1. In the experiments reported here, the factor is 1.15.

HCbump-L: We periodically scale the LRB activity values of high-centrality variables by a factor greater than 1. In the experiments reported here, we scaled by a factor of 1.2 every 20,000 conflicts.

HCnoReduce: We disable the reduction of LRB scores for “unused variables” that are also high-centrality variables.

Clause Deletion The Maple LCM Dist clause deletion (or reduction) scheme was inherited from COMiniSatPS, and is as follows [7, 19]. The learned clauses are partitioned into three sets called CORE, TIER2 and LOCAL. Two LBD threshold values, t_1, t_2 , are used. Learned clauses with LBD less than t_1 are put in CORE. t_1 is initially 3 but changed to 5 if CORE has fewer than 100 clauses after 100,000 conflicts. Clauses with LBD between t_1 and $t_2 = 6$ are put in TIER2. Clauses with LBD more than 6 are put in LOCAL. Clauses in TIER2 that are not used for a long time are moved to LOCAL. Clause deletion is done as follows. Order the clauses in LOCAL by non-decreasing activity. If m is the number of clauses in LOCAL, delete the first $m/2$ clauses that are not reasons for the current assignment. We report on the following modification:

HCdel: Replace ordering of clauses in LOCAL by clause activity with ordering by clause centrality. We define the centrality of a clause to be the mean centrality of the variables occurring in it.

4 Performance Evaluation

We implemented each of our centrality-based heuristics in Maple LCM Dist [19], the solver that took first place in the Main Track of the 2017 SAT Solver Competition [26]. We compared the performance of the modified versions against the default version of Maple LCM Dist by running them on the 350 formulas from the Main Track of the 2017 solver competition, using a 5000 second timeout. Computations were performed on the Cedar compute cluster [9] operated by Compute Canada [10]. The cluster consists of 32-core, 128 GB nodes with Intel “Broadwell” CPUs running at 2.1Ghz.

We allocated 70 seconds to approximate the variable centralities, based on the cost-benefit trade-off seen in Figure 1: Additional time to obtain centralities for more formulas grows quickly after this point. If the computation completed, we used the resulting approximation in our modified solver. Otherwise we terminated the computation and ran default Maple LCM Dist. The choice of 70 seconds is not crucial: Any cut-off between 45 and 300 seconds gives essentially the same outcome. Centrality values were obtained for 198 of the 350 formulas. Our 5000 second timeout includes the time spent on centrality computation, whether or not the computation succeeded.

Table 1 gives the number of instances solved and the PAR-2 score for each method. All four centrality-based modifications improved the performance of Maple LCM Dist by both measures.

	Maple LCM Dist	HCbump-L	HCbump-V	HCnoReduce	HCdel
Number Solved	215	219	218	221	224
PAR-2 Score	4421	4382	4375	4381	4242

Table 1. Number of Formulas Solved (out of 350) and PAR-2 score, for default Maple LCM Dist and our four modified versions.




Fig. 2. Cactus plot comparing performance of default Maple LCM Dist and our four modified versions.

Figure 2 gives the “cactus plot” (inverse cumulative distribution function) for the runs. All four modifications result in improved performance. HCdel, which uses centrality-based clause deletion, is the best, and also out-performs default Maple LCM Dist for almost all smaller cut-off time values. The other methods, which modify the decision heuristic, improve on the default for all times longer than 3300 seconds. The two methods that modify LRB under-perform the default on easy formulas, but catch up at around 3200 seconds.

Families Affected It is natural to wonder if these improvements are due to only one or two formula families. They are not. Table 2 shows, for each of our four modified solvers, how many formulas it solved that default Maple LCM Dist did not, and how many families they came from.

5 Performance Details

Reliability There is an element of happenstance when using a cut-off time. For example, the “best” method would be different with a cut-off of 2800 seconds,

Solver	HCdel	HCnoReduce	NCbump-L	HCbumpt-V
Number of Formulas	11	10	8	5
Number of Families	5	6	5	3

Table 2. Number of families involved in formulas solved by our modified solvers by not by default Maple LCM Dist.

and the “worst” would be different with a cut-off of 2200 seconds. Run-time scatter plots give us an alternate view. Figure 3 gives scatter plots comparing




Fig. 3. Comparison of run-times of default Maple LCM Dist with each of our modified versions. Each plot shows all instances that were solved by at least one of the two solvers represented. Satisfiable formulas are denoted with \circ , unsatisfiable formulas with \times .

the individual formula run-times for each of our four modified solvers with the default Maple LCM Dist. We observe:

- In each plot many points are lined up just below the main diagonal. These are the formulas without centralities, for which we pay a 70-second penalty.
- The most reliable method is HCdel. It solved the most, was faster on 70% of formulas with centralities and had significant slow-down for only 4 formulas.

- HCbump-V caused the least variation: it solved more formulas, but gave significant speedups on only a few others.
- The two LRB modifications, HCbump-L and HCnoReduce, were very “noisy”, speeding up many formulas but also slowing down quite a few.
- It is very interesting that very large differences in run-time were mostly for satisfiable formulas.

Reasoning Rates Here, we look at measures of the rate of solver reasoning or search (as distinct from, for example, quality of reasoning or total time). Table 3 shows, for each method, the mean decision rate, the mean conflict production rate, the mean unit propagation rate, and the mean Global Learning Rate (GLR). GLR, defined as the ratio of the number of conflicts to the number of decisions, was introduced in [18], where it was observed that decision heuristics producing a higher GLR had reduced solving times. We observe:

- Consistent with the observations in [18], decision heuristic changes that improved performance increased GLR, though only slightly;
- The fastest of our methods, HCdel, did not have a higher GLR, suggesting that it learned or kept “better” clauses, rather than more clauses.

Solver	Conflicts	Decisions	Propagations	GLR
Maple LCM Dist	8.25	23.7	1,452	0.623
HCdel	8.43	25.2	1,493	0.623
HCbump-L	8.52	26.3	1,530	0.626
HCbump-V	8.15	23.5	1,432	0.625
HCnoReduce	8.02	21.0	1,420	0.629

Table 3. Measures of search or reasoning rate for the four solvers. Conflicts, Decisions and Propagations are in thousands of events per second.

Learned Clause Quality Measures of “clause quality” that have been studied or used in solver heuristics include size, literal block distance (LBD) and activity. Here we add clause centrality to these. Small clauses are good because they eliminate many truth assignments and facilitate propagation. Literal Block Distance is defined relative to a CDCL assignment stack, and is the number of different decision levels for variables in the clause. Small LBD clauses are like short clauses relative to assignments that are near the current one [6]. Clause activity is an analog of VSIDS activity, bumped each time the clause is used in a learned clause derivation [28]. Intuitively, clauses with low centrality connect variables “on the edge of the formula”, and a long clause with low centrality connects many such variables, so is likely hard to use.

To see the effect of centrality-based deletion on clause quality, we measured the quality of learned clauses kept in LOCAL for three deletion schemes: Activity based deletion (default Maple LCM Dist); Centrality-based deletion (HCdel);

and LBD-based deletion (implemented in Maple LCM Dist for this study). Table 4 shows the results. Reported numbers are the mean of measurements taken just after each clause deletion phase. We observe:

- Centrality-based deletion keeps better clauses than activity-based deletion, as measured by both size and LBD, and also performs better.
- LBD-based deletion keeps the “best” clauses measured by LBD and size, has the worst performance and keeps the worst clauses measured by centrality.
- Centrality is the only clause quality measure that perfectly predicts ordering of the deletion methods by solving speed.

Deletion method	Clause Centrality	Clause LBD	Clause Size	Solving Time
Activity-based Deletion	106	24	56	401
Centrality-based Deletion	182	15	36	347
LBD-based Deletion	80	9	24	446

Table 4. Measures of quality for clauses in the LOCAL clause set, for three deletion schemes. (Centralities are scaled by 10,000).

6 Discussion

We introduced four centrality-based modifications to standard CDCL decision and deletion heuristics, and implemented these in Maple LCM Dist, first-place solver from the Main Track of the 2017 SAT Solver Competition. All four changes improved the performance on the formulas from this track.

The centrality-based deletion scheme, HCdel, solved the most formulas, produced the smallest PAR-2 scores, and also gave the most reliable speed-ups. This deletion scheme is based on clause centrality, a new measure of clause quality introduced here. We presented other evidence that clause centrality is an interesting clause quality measure, and we believe that further study of this measure will be productive.

The decision heuristic modifications performed less well than HCdel, but confirm the importance of variable centrality, and are interesting because they seem to work for different formulas. For example, among 26 formulas that at least one method solved and at least one did not, there are 12 formulas that are either solved by HCbump-L and no other method, or not solved by HCbump-L but solved by all other methods.

Work in progress includes more in-depth study of the roles of variable and clause centrality in solver execution, and development of a centrality-based restart strategy.

Acknowledgement This research was supported in part by the Natural Sciences and Engineering Research Council of Canada (NSERC).

References

1. Michael Alekhnovich and Alexander A Razborov. Satisfiability, branch-width and Tseitin tautologies. In *43rd Symposium on Foundations of Computer Science (FOCS 2002), 16-19 November 2002, Vancouver, BC, Canada*, pages 593–603. IEEE, 2002.
2. Carlos Ansótegui, María Luisa Bonet, Jesús Giráldez-Cru, and Jordi Levy. Community structure in industrial SAT instances. arXiv:1606.03329 [cs.AI], 2016.
3. Carlos Ansótegui, Jesús Giráldez-Cru, and Jordi Levy. The community structure of SAT formulas. In *15th Conference on Theory and Applications of Satisfiability Testing (SAT 2012), Trento, Italy, June 17-20, 2012*, volume 7317 of *LNCS*, pages 410–423. Springer, 2012.
4. Carlos Ansótegui, Jesús Giráldez-Cru, Jordi Levy, and Laurent Simon. Using community structure to detect relevant learnt clauses. In *18th Conference on Theory and Applications of Satisfiability Testing (SAT 2015), Austin, TX, USA, September 24-27, 2015*, volume 9340 of *LNCS*, pages 238–254. Springer, 2015.
5. Albert Atserias, Johannes Klaus Fichte, and Marc Thurley. Clause-learning algorithms with many restarts and bounded-width resolution. In *12th Conference on Theory and Applications of Satisfiability Testing (SAT 2009), Swansea, UK, June 30-July 3, 2009*, pages 114–127. Springer, 2009.
6. Gilles Audemard and Laurent Simon. Predicting learnt clauses quality in modern sat solvers. In *21st International Joint Conference on Artificial Intelligence, IJCAI'09*, pages 399–404, San Francisco, CA, USA, 2009. Morgan Kaufmann.
7. Tomas Balyo, Marijn JH Heule, and MJ Jarvisalo. Proceedings of SAT competition 2016. Technical report, University of Helsinki, 2016.
8. Eli Ben-Sasson and Avi Wigderson. Short proofs are narrow – resolution made simple. In *Thirty-first annual ACM symposium on Theory of computing*, pages 517–526. ACM, 1999.
9. Cedar, A Compute Canada Cluster. <https://docs.computecanada.ca/wiki/Cedar>.
10. Compute Canada: Advanced Research Computing (ARC) Systems. <https://www.computecanada.ca/>.
11. Santo Fortunato. Community detection in graphs. *Physics reports*, 486(3-5):75–174, 2010.
12. Linton C. Freeman. A set of measures of centrality based on betweenness. *Sociometry*, 40(1):35–41, 1977.
13. Carla P Gomes and Bart Selman. Problem structure in the presence of perturbations. In *14th National Conference on Artificial Intelligence and Ninth Innovative Applications of Artificial Intelligence Conference, (AAAI-97, IAAI-97), July 27-31, 1997, Providence, Rhode Island.*, pages 221–226. AAAI, 1997.
14. Sima Jamali and David Mitchell. Improving SAT solver performance with structure-based preferential bumping. In *3rd Global Conference on Artificial Intelligence (GCAI 2017) Miami, FL, USA, 18-22 October 2017*, volume 50 of *EPiC*, pages 175–187. EasyChair, 2017.
15. George Katsirelos and Laurent Simon. Eigenvector centrality in industrial SAT instances. In *18th International Conference on Principles and Practice of Constraint Programming (CP 2012), Quebec City, QC, Canada, October 8-12, 2012*, volume 7514 of *LNCS*, pages 348–356. Springer, 2012.
16. Jia Hui Liang, Vijay Ganesh, Pascal Poupart, and Krzysztof Czarnecki. Learning rate based branching heuristic for SAT solvers. In *19th Conference on Theory and Applications of Satisfiability Testing (SAT 2016), Bordeaux, France, July 5–8, 2016*, volume 9710 of *LNCS*, pages 123–140. Springer, 2016.

17. Jia Hui Liang, Vijay Ganesh, Ed Zulkoski, Atulan Zaman, and Krzysztof Czarnecki. Understanding VSIDS branching heuristics in conflict-driven clause-learning SAT solvers. In *Hardware and Software: Verification and Testing: Haifa Verification Conference*, volume 9434 of *LNCS*, pages 225–241. Springer, 2015.
18. Jia Hui Liang, Pascal Poupart, Krzysztof Czarnecki, and Vijay Ganesh. An empirical study of branching heuristics through the lens of global learning rate. In *20th Conference on Theory and Applications of Satisfiability Testing (SAT 2017), Melbourne, VIC, Australia, August 28 – September 1, 2017*, volume 10491 of *LNCS*, pages 119–135. Springer, 2017.
19. Mao Luo, Chu-Min Li, Fan Xiao, Felip Manyà, and Zhipeng Lü. An effective learnt clause minimization approach for CDCL SAT solvers. In *26th International Joint Conference on Artificial Intelligence (IJCAI 2017), Melbourne, Australia, August 19–25, 2017*, pages 703–711. ijcai.org, 2017.
20. Ruben Martins, Vasco Manquinho, and Inês Lynce. Community-based partitioning for MaxSAT solving. In *16th Conference on Theory and Applications of Satisfiability Testing (SAT 2013), Helsinki, Finland, July 8–12, 2013*, volume 7962 of *LNCS*, pages 182–191. Springer, 2013.
21. Matthew W. Moskewicz, Conor F. Madigan, Ying Zhao, Lintao Zhang, and Sharad Malik. Chaff: engineering an efficient SAT solver. In *38th annual Design Automation Conference (DAC 2001)*, pages 530–535. ACM, 2001.
22. NetworkX, Software for complex networks. <https://networkx.github.io/>.
23. Miguel Neves, Ruben Martins, Mikoláš Janota, Inês Lynce, and Vasco Manquinho. Exploiting resolution-based representations for MaxSAT solving. In *18th Conference on Theory and Applications of Satisfiability Testing (SAT 2015), Austin, TX, USA, September 24–27, 2015*, volume 9340 of *LNCS*, pages 272–286. Springer, 2015.
24. Zack Newsham, Vijay Ganesh, Sebastian Fischmeister, Gilles Audemard, and Laurent Simon. Impact of community structure on SAT solver performance. In *17th Conference on Theory and Applications of Satisfiability Testing (SAT 2014), Vienna, Austria, July 14–17, 2014*, volume 8561 of *LNCS*, pages 252–268. Springer, 2014.
25. Zack Newsham, William Lindsay, Vijay Ganesh, Jia Hui Liang, Sebastian Fischmeister, and Krzysztof Czarnecki. SATGraf: Visualizing the evolution of SAT formula structure in solvers. In *18th Conference on Theory and Applications of Satisfiability Testing (SAT 2015), Austin, TX, USA, September 24–27, 2015*, volume 9340 of *LNCS*, pages 62–70. Springer, 2015.
26. SAT Competition 2017. <https://baldur.iti.kit.edu/sat-competition-2017/>, July 2017.
27. Tomohiro Sonobe, Shuya Kondoh, and Mary Inaba. Community branching for parallel portfolio SAT solvers. In *17th International Conference on Theory and Applications of Satisfiability Testing (SAT 2014), Vienna, Austria, July 14–17, 2014*, volume 8561 of *LNCS*, pages 188–196. Springer, 2014.
28. Niklas Sorensson and Niklas Een. Minisat v1. 13 - a SAT solver with conflict-clause minimization. Poster at the 8th Conference on Theory and Applications of Satisfiability Testing (SAT 2005), St. Andrews, UK, June 19–23, 2005, 2005.
29. Ryan Williams, Carla P Gomes, and Bart Selman. Backdoors to typical case complexity. In *18th Int'l Joint Conference on Artifical Intelligence (IJCAI 2003) Acapulco, Mexico, August 9–15, 2003*, pages 1173–1178. Morgan Kaufmann, 2003.
30. Lin Xu, Frank Hutter, Holger H Hoos, and Kevin Leyton-Brown. SATzilla: Portfolio-based algorithm selection for SAT. *Journal of Artificial Intelligence Research*, 32:565–606, 2008.